FEBS Letters 356 (1994) 382–384

Contents to volume 356

Research Letters

Import of phosphatidylinositol and phosphatidylcholine into mitochondria of the yeast, *Saccharomyces cerevisiae* (FEBS 14810) *M. Lampl, A. Leber, F. Paltauf, G. Daum* 1

Identification of multiple, novel, protein kinase C-related gene products (FEBS 14815) *R.H. Palmer, J. Ridden, P.J. Parker* 5

Biochemical characterization of glucosaminylmuramyldipeptide binding sites of murine macrophages (FEBS 14832) *T.N. Golovina, M.V. Sumaroka, L.V. Samokhvalova, Yu. Shebzukhov, T.M. Andronova, V.A. Nesmeyanov* 9

Production and characterization of monoclonal anti-idiotypic antibodies to muramylpeptide (FEBS 14833) *T.Yu. Mareeva, O.V. Kotova, T.N. Golovina, V.A. Nesmeyanov* 13

The molecular structure of the Na^+-translocating F_1F_0-ATPase of *Acetobacterium woodii*, as revealed by electron microscopy, resembles that of H^+-translocating ATPases (FEBS 14835) *J. Reidlinger, F. Mayer, V. Müller* 17

Transforming growth factor β1, insulin and prostaglandin E_1 enhance prostaglandin $F_{2\alpha}$ mitogenic action in Swiss 3T3 cells via separate events (FEBS 14836) *M. Gomez de Alzaga, M. Goin, M. Ortiz, L. Jimenez de Asua* 21

Sensory rhodopsin I photocycle intermediate SRI_{380} contains 13-*cis* retinal bound via an unprotonated Schiff base (FEBS 14839) *U. Haupts, W. Eisfeld, M. Stockburger, D. Oesterhelt* 25

Biochemical approaches of increasing thermostability of β-amylase from *Bacillus megaterium* B_6 (FEBS 14840) *R.R. Ray, S.C. Jana, G. Nanda* 30

Characterization of the promoters of the guinea pig neutrophil cationic peptide-1 and -2 genes (FEBS 14842) *I. Nagaoka, N. Ishihara, T. Yamashita* 33

5-Hydroxytryptamine affects turnover of polyphosphoinositides in maize and stimulates nitrate reductase in the absence of light (FEBS 14826) *M.R. Chandok, S.K. Sopory* 39

Changes in the NAD(P)H concentration caused by addition of nitrogenase 'switch-off' effectors in *Rhodospirillum rubrum* G-9, as measured by fluorescence (FEBS 14846) *A. Norén, S. Nordlund* 43

Purification of type 1 protein (serine/threonine) phosphatases by microcystin-Sepharose affinity chromatography (FEBS 14845) *G. Moorhead, R.W. MacKintosh, N. Morrice, T. Gallagher, C. MacKintosh* 46

Molecular cloning of cDNA encoding the 110 kDa and 21 kDa regulatory subunits of smooth muscle protein phosphatase 1M (FEBS 14844) *Y. Hua Chen, M. Xiang Chen, D.R. Alessi, D.G. Campbell, C. Shanahan, P. Cohen, P.T.W. Cohen* 51

Blockage of the urokinase receptor on the cell surface: construction and characterization of a hybrid protein consisting of the N-terminal fragment of human urokinase and human albumin (FEBS 14850) *H. Lu, P. Yeh, J.-D. Guitton, C. Mabilat, F. Desanlis, I. Maury, Y. Legrand, J. Soria, C. Soria* 56

Retinoic acid induces BDNF responsiveness of sympathetic neurons by alteration of Trk neurotrophin receptor expression (FEBS 14851) *M. Kobayashi, K. Kurihara, I. Matsuoka* 60

Surface labeling of key residues during assembly of the transmembrane pore formed by staphylococcal α-hemolysin (FEBS 14853) *M. Krishnasastry, B. Walker, O. Braha, H. Bayley* 66

Regulation of low density lipoprotein receptor activity in Chinese hamster ovary cells transfected with the c-*fms* gene (FEBS 14855) *K. Yamamoto, H. Shimano, T. Inaba, T. Gotoda, K. Harada, M. Shimada, Y. Watanabe, J.-i. Osuga, M. Kawamura, Y. Yazaki, N. Yamada* 72

Hepatic glutaminase mRNA is confined to part of the urea cycle domain in the adult rodent liver lobule (FEBS 14843) *A.F.M. Moorman, P.A.J. de Boer, M. Watford, M.A. Dingemanse, W.H. Lamers* 76

Adding a positive charge at residue 46 of *Drosophila* alcohol dehydrogenase increases cofactor specificity for $NADP^+$ (FEBS 14847) *Z. Chen, I. Tsigelny, W.R. Lee, M.E. Baker, S.H. Chang* 81

Interleukin-10 and pentoxifylline inhibit C-reactive protein-induced tissue factor gene expression in peripheral human blood monocytes (FEBS 14849) *M. Ramani, F. Khechai, V. Ollivier, C. Ternisien, F. Bridey, J. Hakim, D. de Prost* 86

Interactions of eukaryotic elongation factor 2 with actin: a possible link between protein synthetic machinery and cytoskeleton (FEBS 14852) *M. Bektaş, R. Nurten, Z. Gürel, Z. Sayers, E. Bermek* 89

Autoantigen Ku protein is involved in DNA binding proteins which recognize the U5 repressive element of human T-cell leukemia virus type I long terminal repeat (FEBS 14856) *K. Okumura, S. Takagi, G. Sakaguchi, K. Naito, N. Minoura-Tada, H. Kobayashi, T. Mimori, Y. Hinuma, H. Igarashi* 94

A point mutation within the ATP-binding site inactivates both catalytic functions of the ATP-dependent protease La (Lon) from *Escherichia coli* (FEBS 14857) *H. Fischer, R. Glockshuber* 101

Characterization of energetically functional inverted membrane vesicles from *Corynebacterium glutamicum* (FEBS 14858) *S. Schrempp, N. Bayan, E. Shechter* 104

Effect of adrenomedullin on hepatic pericytes (stellate cells) of the rat (FEBS 14791) *N. Kawada, M. Inoue* 109

Unphosphorylated and tyrosine-phosphorylated forms of a focal adhesion protein, paxillin, are substrates for calpain II in vitro: implications for the possible involvement of calpain II in mitosis-specific degradation of paxillin (FEBS 14859) *R. Yamaguchi, M. Maki, M. Hatanaka, H. Sabe* 114

Molecular cloning, expression and chromosomal localisation of human AMP-activated protein kinase (FEBS 14860) *R.K. Beri, A.E. Marley, C.G. See, W.F. Sopwith, K. Aguan, D. Carling, J. Scott, F. Carey* 117

Transient induction of fatty acid synthase in rat liver after removal of a peroxisome proliferator (FEBS 14863) *K. Motojima, M. Isaka, Y. Takino, S. Goto* 122

Identification of annexin 33 kDa in cultured cells as a binding protein of influenza viruses (FEBS 14854) *M. Otto, A. Günther, H. Fan, O. Rick, R.T.C. Huang* 125

Tyrosine phosphorylation of the MUC1 breast cancer membrane proteins: Cytokine receptor-like molecules (FEBS 14864) *S. Zrihan-Licht, A. Baruch, O. Elroy-Stein, I. Keydar, D.H. Wreschner* 130

Stereochemistry of the hydrolysis of glycosidic linkage by endo-β-1,4-xylanases of *Trichoderma reesei* (FEBS 14861) *P. Biely, L. Kremnický, J. Alföldi, M. Tenkanen* 137

Purification and characterization of a novel superantigen produced by a clinical isolate of *Yersinia pseudotuberculosis* (FEBS 14862) *K.-i. Yoshino, J. Abe, H. Murata, T. Takao, T. Kohsaka, Y. Shimonishi, T. Takeda* 141

Histidine-419 plays a role in energy coupling in the vesicular monoamine transporter from rat (FEBS 14865) *A. Shirvan, O. Laskar, S. Steiner-Mordoch, S. Schuldiner* 145

Errata & Corrigenda 151

On the site by which α-dendrotoxin binds to voltage-dependent potassium channels: site-directed mutagenesis reveals that the lysine triplet 28–30 is not essential for binding (FEBS 14848) *J.M. Danse, E.G. Rowan, S. Gasparini, F. Ducancel, H. Vatanpour, L.C. Young, G. Poorheidari, E. Lajeunesse, P. Drevet, R. Ménez, S. Pinkasfeld, J.-C. Boulain, A.L. Harvey, A. Ménez* 153

The use of near-infrared charge-transfer transitions of low-spin ferric chlorins in axial ligand assignment (FEBS 14866) *Q. Peng, J. Peterson* 159

The 26S proteasome degrades mouse and yeast ornithine decarboxylase in yeast cells (FEBS 14873) *E. Mamroud-Kidron, C. Kahana* 162

Purification and crystallization of the ternary complex of elongation factor Tu:GTP and Phe-tRNA^{Phe} (FEBS 14867) *P. Nissen, L. Reshetnikova, G. Siboska, G. Polekhina, S. Thirup, M. Kjeldgaard, B.F.C. Clark, J. Nyborg* 165

Identification of defensin binding to C1 complement (FEBS 14874) *A.V. Panyutich, O. Szold, P.H. Poon, Y. Tseng, T. Ganz* 169

Electrogenic amino acid exchange via the rBAT transporter (FEBS 14875) *M.J. Coady, F. Jalal, X. Chen, G. Lemay, A. Berteloot, J.-Y. Lapointe* 174

Fourier transform infrared spectrum of the radical cation of β-carotene photoinduced in photosystem II (FEBS 14876) *T. Noguchi, T. Mitsuka, Y. Inoue* 179

Identification of a fatty acyl responsive regulator (FarR) in *Escherichia coli* (FEBS 14877) *M.A. Quail, C.E. Dempsey, J.R. Guest* 183

Residues responsible for distinct biological functions are characterized by different statistical features of sequential and spatial neighborhoods: a thermolysin example (FEBS 14870) *A.E. Gabrielian, S.A. Kostrov, M.P. Kirpichnikov* 188

The number of amino acid residues in hydrophilic loops connecting transmembrane domains of the GABA transporter GAT-1 is critical for its function (FEBS 14868) *B.I. Kanner, A. Bendahan, S. Pantanowitz, H. Su* 191

Is Zn^{2+} transported by the mitochondrial calcium uniporter? (FEBS 14869) *N.-E.L. Saris, K. Niva* 195

A structural determinant of differential sensitivity of cloned inward rectifier K^+ channels to intracellular spermine (FEBS 14871) *B. Fakler, U. Brändle, Ch. Bond, E. Glowatzki, C. König, J.P. Adelman, H.-P. Zenner, J.P. Ruppersberg* 199

Precursor-mediated opening of translocation pores in chloroplast envelopes (FEBS 14872) *A. Bulychev, M. Pilon, H. Dassen, R. van 't Hof, W. Vredenberg, B. de Kruijff* 204

Vitellogenin gene of the silkworm, *Bombyx mori*: structure and sex-dependent expression (FEBS 14878) *K.-i. Yano, M.T. Sakurai, S. Izumi, S. Tomino* 207

The reversion of highly tumorigenic cell lines to non-tumorigenic phenotype is associated with c-*jun* down-expression (FEBS 14879) *Y. Lavrovsky, Y. Yefremov, V. Lavrovsky* 212

Cloning and characterization of the human V3 pituitary vasopressin receptor (FEBS 14881) *Y. de Keyzer, C. Auzan, F. Lenne, C. Beldjord, M. Thibonnier, X. Bertagna, E. Clauser* 215

The 'pterocarpan synthase' of alfalfa: association and co-induction of vestitone reductase and 7,2'-dihydroxy-4'-methoxyisoflavanol (DMI) dehydratase, the two final enzymes in medicarpin biosynthesis (FEBS 14880) *L. Guo, R.A. Dixon, N.L. Paiva* 221

Purification and characterization of the inhibitory subunit (δ) of the ATP-synthase from *Micrococcus luteus* (FEBS 14883) *G. Grüber, S. Engelbrecht, W. Junge, K. Dose, T. Nawroth* 226

Tissue specificity of mitochondrial F_0F_1-ATPase activity of *Lilium longiflorum* plant (FEBS 14882) *A. Itoh, J. Sekiya* 229

Isolation of a putative receptor from *Zea mays* microsomal membranes that interacts with the G-protein, GPα1 (FEBS 14884) *A. Wise, P.G. Thomas, I.R. White, P.A. Millner* 233

Molecular characterization of human and bovine endothelin converting enzyme (ECE-1) (FEBS 14890) *M. Schmidt, B. Kröger, E. Jacob, H. Seulberger, T. Subkowski, R. Otter, T. Meyer, G. Schmalzing, H. Hillen* 238

ADP ribosyl cyclase activity of a novel bone marrow stromal cell surface molecule, BST-1 (FEBS 14892) *Y. Hirata, N. Kimura, K. Sato, Y. Ohsugi, S. Takasawa, H. Okamoto, J. Ishikawa, T. Kaisho, K. Ishihara, T. Hirano* 244

Cdc25 is not the signal receiver for glucose induced cAMP response in *S. cerevisiae* (FEBS 14886) *D. Goldberg, M. Segal, A. Levitzki* 249

Evidence for the ligand-induced conversion from a dimer to a tetramer of the granulocyte colony-stimulating factor receptor (FEBS 14891) *O. Hiraoka, H. Anaguchi, Y. Ota* 255

Poly (ADP-ribose) polymerase inhibits DNA replication by human replicative DNA polymerase α, δ and ε in vitro (FEBS 14893) *T. Eki* 261

Covalent anchoring of proteins onto gold-directed NHS-terminated self-assembled monolayers in aqueous buffers: SFM images of clathrin cages and triskelia (FEBS 14909) *P. Wagner, P. Kernen, M. Hegner, E. Ungewickell, G. Semenza* 267

Thyrsiferyl 23-acetate is a novel specific inhibitor of protein phosphatase PP2A (FEBS 14894) *S.-i. Matsuzawa, T. Suzuki, M. Suzuki, A. Matsuda, T. Kawamura, Y. Mizuno, K. Kikuchi* 272

Classical, novel and atypical isoforms of PKC stimulate ANF- and TRE/AP-1-regulated-promoter activity in ventricular cardiomyocytes (FEBS 14896) *J.B.J. Decock, J. Gillespie-Brown, P.J. Parker, P.H. Sugden, S.J. Fuller* 275

Regulation by glucose of the biosynthesis of PC2, PC3 and proinsulin in (ob/ob) mouse Islets of Langerhans (FEBS 14897) *S.K. Martin, R. Carroll, M. Benig, D.F. Steiner* 279

Interaction of phosphorylated elongation factor EF-2 with nucleotides and ribosomes (FEBS 14885) *A. Dumont-Miscopein, J.-P. Lavergne, D. Guillot, B. Sontag, J.-P. Reboud* 283

P-glycoprotein-mediated efflux of hydroxyrubicin, a neutral anthracycline derivative, in resistant K562 cells (FEBS 14895) *M.-N. Borrel, M. Fiallo, W. Priebe, A. Garnier-Suillerot* 287

Constitutive activation of cyclic AMP but not phosphatidylinositol signaling caused by four mutations in the 6th transmembrane helix of the human thyrotropin receptor (FEBS 14899) *S. Kosugi, A. Shenker, T. Mori* 291

Nanomolar concentrations of nitric oxide reversibly inhibit synaptosomal respiration by competing with oxygen at cytochrome oxidase (FEBS 14903) *G.C. Brown, C.E. Cooper* 295

A 66-kDa protein associated with epidermal growth factor receptor is a proteolytic fragment of phosphoinositide-specific phospholipase C (FEBS 14889) *N.D. Medvedeva, V.Yu. Alexeyev, N.V. Tsupkina, N.N. Nikolsky* 299

Negative and positive effects of CpG-methylation on *Xenopus* ribosomal gene transcription in vitro (FEBS 14904) *P. Labhart* 302

Localization of a regulatory region on the 5'-untranslated region of human hepatoma HepG2 γ-glutamyltransferase mRNA and response to dexamethasone and antisense oligonucleotide treatment (FEBS 14906) *M. Diederich, M. Wellman, G. Siest* 307

RNA synthesis inhibition stabilises urokinase mRNA in macrophages (FEBS 14907) *K.J. Stacey, Y. Nagamine, D.A. Hume* 311

Impaired copper binding by the H46R mutant of human Cu,Zn superoxide dismutase, involved in amyotrophic lateral sclerosis (FEBS 14908) *M.T. Carrì, A. Battistoni, F. Polizio, A. Desideri, G. Rotilio* 314

Cloning and characterization of the *Drosophila melanogaster* CDK5 homolog (FEBS 14911) *M.R. Hellmich, J.A. Kennison, L.L. Hampton, J.F. Battey* 317

Cyclic AMP formation in *Tetrahymena pyriformis* is controlled by a K^+-conductance (FEBS 14913) *J.E. Schultz, C. Schönborn* 322

A new human leukemia cell 8.2 kDa differentiation factor: isolation and primary structure (FEBS 14919) *I.A. Kostanyan, M.V. Astapova, E.V. Starovoytova, S.M. Dranitsina, V.M. Lipkin* 327

Cloning of the Na^+-translocating NADH-quinone reductase gene from the marine bacterium *Vibrio alginolyticus* and the expression of the β-subunit in *Escherichia coli* (FEBS 14887) *M. Hayashi, K. Hirai, T. Unemoto* 330

Cloning and sequencing of four structural genes for the Na^+-translocating NADH–ubiquinone oxidoreductase of *Vibrio alginolyticus* (FEBS 14888) *P. Beattie, K. Tan, R.M. Bourne, D. Leach, P.R. Rich, F.B. Ward* 333

Nucleotide sequence and analysis of the mouse SPC3 promoter region (FEBS 14898) *T. Hanabusa, S. Ohagi, J. LaMendola, S. Jin Chan, D.F. Steiner* 339

Characterization and determination of the redox properties of the 2[4Fe-4S] ferredoxin from *Methanosarcina barkeri* strain MS (FEBS 14926) *P.J.H. Daas, W.R. Hagen, J.T. Keltjens, G.D. Vogels* 342

Primary structure of a multimeric protein, homologous to the PEP-utilizing enzyme family and isolated from a hyperthermophilic archaebacterium (FEBS 14917) *C. Cicicopol, J. Peters, J. Kellermann, W. Baumeister* 345

Identification of a novel protein tyrosine phosphatase with sequence homology to the cytoskeletal proteins of the band 4.1 family (FEBS 14918) *D. L'Abbé, D. Banville, Y. Tong, R. Stocco, S. Masson, S. Ma, G. Fantus, S.-H. Shen* 351

Mechanism of the cytolytic action of *Pseudomonas aeruginosa* cytotoxin: oligomerization of the cytotoxin on target membranes (FEBS 14924) *M. Ohnishi, T. Hayashi, T. Tomita, Y. Terawaki* 357

New structures in complex formation between DNA and cationic liposomes visualized by freeze–fracture electron microscopy (FEBS 14928) *B. Sternberg, F.L. Sorgi, L. Huang* 361

A novel peridinin–chlorophyll *a* protein (PCP) from the marine dinoflagellate *Alexandrium cohorticula*: a high pigment content and plural spectral forms of peridinin and chlorophyll *a* (FEBS 14927) *T. Ogata, M. Kodama, S. Nomura, M. Kobayashi, T. Nozawa, T. Katoh, M. Mimuro* 367

Book reviews 372

Booklist No. 122 376

Author index to volume 356 377

Contents to volume 356 382